

Media centre

Obesity and overweight

Fact sheet N°311

Updated January 2015

Key facts

- Worldwide obesity has more than doubled since 1980.
- In 2014, more than 1.9 billion adults, 18 years and older, were overweight. Of these over 600 million were obese.
- 39% of adults aged 18 years and over were overweight in 2014, and 13% were obese.
- Most of the world's population live in countries where overweight and obesity kills more people than underweight.
- 42 million children under the age of 5 were overweight or obese in 2013.
- Obesity is preventable.

What are overweight and obesity?

Overweight and obesity are defined as abnormal or excessive fat accumulation that may impair health.

Body mass index (BMI) is a simple index of weight-for-height that is commonly used to classify overweight and obesity in adults. It is defined as a person's weight in kilograms divided by the square of his height in meters (kg/m²).

The WHO definition is:

- a BMI greater than or equal to 25 is overweight
- a BMI greater than or equal to 30 is obesity.

BMI provides the most useful population-level measure of overweight and obesity as it is the same for both sexes and for all ages of adults. However, it should be considered a rough guide because it may not correspond to the same degree of fatness in different individuals.

Facts about overweight and obesity

Some recent WHO global estimates follow.

- In 2014, more than 1.9 billion adults, 18 years and older, were overweight. Of these over 600 million were obese.
- Overall, about 13% of the world's adult population (11% of men and 15% of women) were obese in 2014.
- In 2014, 39% of adults aged 18 years and over (38% of men and 40%

of women) were overweight.

- The worldwide prevalence of obesity more than doubled between 1980 and 2014.

In 2013, 42 million children under the age of 5 were overweight or obese. Once considered a high-income country problem, overweight and obesity are now on the rise in low- and middle-income countries, particularly in urban settings. In developing countries with emerging economies (classified by the World Bank as lower- and middle-income countries) the rate of increase of childhood overweight and obesity has been more than 30% higher than that of developed countries.

Overweight and obesity are linked to more deaths worldwide than underweight. Most of the world's population live in countries where overweight and obesity kill more people than underweight (this includes all high-income and most middle-income countries).

What causes obesity and overweight?

The fundamental cause of obesity and overweight is an energy imbalance between calories consumed and calories expended. Globally, there has been:

- an increased intake of energy-dense foods that are high in fat; and
- an increase in physical inactivity due to the increasingly sedentary nature of many forms of work, changing modes of transportation, and increasing urbanization.

Changes in dietary and physical activity patterns are often the result of environmental and societal changes associated with development and lack of supportive policies in sectors such as health, agriculture, transport, urban planning, environment, food processing, distribution, marketing and education.

What are common health consequences of overweight and obesity?

Raised BMI is a major risk factor for noncommunicable diseases such as:

- cardiovascular diseases (mainly heart disease and stroke), which were the leading cause of death in 2012;
- diabetes;
- musculoskeletal disorders (especially osteoarthritis - a highly disabling degenerative disease of the joints);
- some cancers (endometrial, breast, and colon).

The risk for these noncommunicable diseases increases, with an increase in BMI.

Childhood obesity is associated with a higher chance of obesity, premature death and disability in adulthood. But in addition to increased future risks, obese children experience breathing difficulties, increased risk of fractures, hypertension, early markers of cardiovascular disease, insulin resistance and psychological effects.

Facing a double burden of disease

Many low- and middle-income countries are now facing a "double burden" of disease.

- While they continue to deal with the problems of infectious disease and under-nutrition, they are experiencing a rapid upsurge in noncommunicable disease risk factors such as obesity and overweight, particularly in urban settings.
- It is not uncommon to find under-nutrition and obesity existing side-by-side within the same country, the same community and the same household.

Children in low- and middle-income countries are more vulnerable to inadequate pre-natal, infant and young child nutrition. At the same time, they are exposed to high-fat, high-sugar, high-salt, energy-dense, micronutrient-poor foods, which tend to be lower in cost but also lower in nutrient quality. These dietary patterns in conjunction with lower levels of physical activity, result in sharp increases in childhood obesity while undernutrition issues remain unsolved.

How can overweight and obesity be reduced?

Overweight and obesity, as well as their related noncommunicable diseases, are largely preventable. Supportive environments and communities are fundamental in shaping people's choices, making the healthier choice of foods and regular physical activity the easiest choice (accessible, available and affordable), and therefore preventing obesity.

At the individual level, people can:

- limit energy intake from total fats and sugars;
- increase consumption of fruit and vegetables, as well as legumes, whole grains and nuts;
- engage in regular physical activity (60 minutes a day for children and 150 minutes per week for adults).

Individual responsibility can only have its full effect where people have access to a healthy lifestyle. Therefore, at the societal level it is important to:

- support individuals in following the recommendations above, through sustained political commitment and the collaboration of many public and private stakeholders;
- make regular physical activity and healthier dietary choices available, affordable and easily accessible to all - especially the poorest individuals.

The food industry can play a significant role in promoting healthy diets by:

- reducing the fat, sugar and salt content of processed foods;
- ensuring that healthy and nutritious choices are available and affordable to all consumers;
- practicing responsible marketing especially those aimed at children and teenagers;
- ensuring the availability of healthy food choices and supporting

regular physical activity practice in the workplace.

WHO response

Adopted by the World Health Assembly in 2004, the WHO Global Strategy on Diet, Physical Activity and Health describes the actions needed to support healthy diets and regular physical activity. The Strategy calls upon all stakeholders to take action at global, regional and local levels to improve diets and physical activity patterns at the population level.

The Political Declaration of the High Level Meeting of the United Nations General Assembly on the Prevention and Control of Noncommunicable Diseases of September 2011, recognizes the critical importance of reducing unhealthy diet and physical inactivity. The political declaration commits to advance the implementation of the WHO Global Strategy on Diet, Physical Activity and Health, including, where appropriate, through the introduction of policies and actions aimed at promoting healthy diets and increasing physical activity in the entire population.

WHO has developed the "Global Action Plan for the prevention and control of noncommunicable diseases 2013-2020" which aims to achieve the commitments of the UN Political Declaration on NCDs which was endorsed by Heads of State and Government in September 2011. This Action Plan aims to build on the WHO Framework Convention on Tobacco Control and the WHO Global Strategy on Diet, Physical Activity and Health. The plan will contribute to progress on 9 global NCD targets to be attained in 2025, including a 25% relative reduction in premature mortality from NCDs by 2025 and a halting of the global obesity rates to those of 2010.

To better inform and develop a comprehensive response to childhood obesity in particular, WHO's Director-General established the high-level Commission on Ending Childhood Obesity (ECHO), which comprises 15 accomplished and eminent people from a variety of relevant backgrounds. The Commission will review, build upon and address gaps in existing mandates and strategies, raise awareness and build momentum for action to address childhood obesity.

For more information contact:

WHO Media centre
Telephone: +41 22 791 2222
E-mail: mediainquiries@who.int

Features

[A healthy lifestyle is the fashion in Russian cities](#)

[More features on noncommunicable diseases](#)

Publications

[WHO Global Strategy on Diet, Physical Activity and Health](#)

[Global status report on noncommunicable diseases 2014](#)

Data

[Data and analysis of overweight and obesity](#)

[WHO Global Infobase: data on overweight and obesity](#)

More about obesity

[Healthy diet and physical exercise](#)

[Target 7: Halt the rise in obesity](#)
[Global Monitoring Framework for NCDs](#)

[The WHO Child Growth Standards](#)

[WHO's work on nutrition](#)

[Overview of obesity topic](#)